

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S129	6318	(scan near3 line\$1) with (impedance\$2 or resistance \$2 or resistor\$1 or capacitor\$1 or transistor \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/03 16:54
S130	2370	345/100\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/03 16:54
S131	194	S129 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:54
S132	6390	(scan near3 line\$1) with (impedance\$2 or resistance \$2 or resistor\$1 or capacitor\$1 or transistor \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:54
S133	2261	345/211\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/03 16:57
S134	33512	((scan\$3 or row or control near3 line\$1) near8 (impedance\$2 or resistance \$2 or resistor\$1 or capacitor\$1 or transistor \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/03 16:57
S135	216	S134 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:57
S136	35170	((scan\$3 or row or control near3 line\$1) near8 (impedance\$2 or resistance \$2 or resistor\$1 or capacitor\$1 or transistor \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:57
S137	219	S133 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:57
S138	55	((scan\$3 or row or control near3 line\$1) near8 (impedance\$2 or resistance \$2 or resistor\$1 or capacitor\$1 or transistor \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:59

S139	10	((scan\$3 or row or control near\$3 line) near\$8 ((impedance\$2 or resistance\$2 or resistor\$1 or capacitor\$1 or transistor \$1) near\$3 in\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/03 16:59
S140	105834	impedance near\$8 (low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:43
S141	136781	impedance near\$8 (high)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:43
S142	758	impedance with (high) with row	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:43
S143	569	impedance with (low) with row	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:43
S144	35708	voltage with column	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:44
S145	38	S142 same S143 same S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/04 08:44
S146	3	("2006/0238443").URFN.	USPAT	ADJ	ON	2010/03/04 08:44
S147	17443	impedance near\$5 adjust\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/08 14:28
S148	73	impedance near\$5 adjust\$3 same row	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2010/03/08 14:28
S149	110	impedance near\$5 adjust\$3 same row	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:28
S150	7	((impedance near\$5 adjust\$3 same row) same (impedance near\$4 low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:29
S151	0	((im\$1impedance near\$5 adjust\$3 same row) same (impedance near\$4 low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:37
S152	0	((in\$line impedance near\$5 adjust\$3 same row) same (in\$line near impedance near\$4 low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:38
S153	0	((in\$line near impedance near\$5 adjust\$3 same row) same (in\$line near impedance near\$4 low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:38

S154	1	in\$line near impedance near5 adj\$ust\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2010/03/08 14:39
S155	4	("5719590"   "6504520"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/09 09:31
S158	1	"in-line impedance".clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/09 09:48
S159	1	(conductive near control near impedance).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/09 09:49

3/9/2010 11:27:53 AM

C:\Documents and Settings\ppatel3\My Documents\EAST\Workspaces\10529114.wsp